Anadromous Water Catalog Number of WaterwayTributaries to 185-10-10100-and-2031-30 and of Waterway _Yahtse River	madromous Water Catalog Number of WaterwayTributaries to 185-10-10100-and 2021	WC Volume SE	*****				
ame of Waterway _Yahtse River	Ame of Waterway Yahtse River USGS name XX Local name ddition XXX Deletion Correction ?? Backup Information  For Office Use  Nomination # 91 181  Revision Year: 94 Regional Supervisor Date  Revision to: Atlas Catalog Both X  Revision Code: Are Drafted Date  OBSERVATION INFORMATION  Species Date(s) Observed Spawning Rearing Migration Anadromous Coho Salmon June 28, 29, 1993 XXXXX XXX XXX  Dolly Varden June 28, 29, 1993 XXXXX Ilkely likely  ovide any clarifying information, including number of fish observed, location of fish survey data, if available. Attach a copy of a map showing cation of mouth and upper points of each species, specific stream reaches identified furnments:		USGS	Quad Icy	Bay D1 and	D2 7 (	771-30
Revision to: Atlas Catalog Both _X Drafted Cobo Salmon Date (s) Observed Coho Salmon June 28, 29, 1993 XXX Information Backup Information	Revision Year:  Revision Code:  Date (s) Observed Spawning Rearing Migration Anadromous Species  Date (s) Observed Spawning Rearing Migration Anadromous XXXX Dolly Varden  June 28, 29, 1993  Dovide any clarifying information, including number of fish observed, location of fish survey data, etc. Attach a copy of the fish survey data, if available. Attach a copy of a map showing awaining or rearing, locations of barriers, such as falls.	madromous water Ca	talog Number of Waterway	Tributa	ries to 185-	10-10100-and	2021
Revision Code:    Correction	For Office Use    Nomination # 91 181	ame of waterway	Yahtse River		USGS nam	ne _XX_ Loca	l name
Nomination # 91 181  Revision Year:	Revision Year:  Revision to: Atlas Catalog Both _X	ddition _XXX Dele	tion Correction _?	??_ Backup	Information	. <u></u>	
Nomination # 91 181  Revision Year:	Revision Year:  Revision to: Atlas Catalog Both _X		Paul	0661			
Revision Year:  Revision to: Atlas Catalog  Both X  Revision Code:  OBSERVATION INFORMATION  Species  Date(s) Observed  Spawning  Coho Salmon  June 28, 29, 1993  Date  Spawning  Spawning  Spawning  Rearing  Migration  Anadromo  XXXX  XXX  Dolly Varden  June 28, 29, 1993  XXXX  Dolly Varden  June 28, 29, 1993  XXXX  Anadromo  XXXX  XXX  XXX  Dolly Varden  June 28, 29, 1993  XXXX  Dolly Varden  Regional Supervisor  Date  3/4/94  Date  3/1/94  Date	Revision Year:  Revision to: Atlas Catalog Both X		01 404	Office Use		0.0	
Revision Year:  Revision to: Atlas Catalog Both _X	Revision Year:  Revision to: Atlas Catalog Both	Nomination #	*		Janaly	They	11-2-93
Revision Code:    Both X	Revision Code:    Both X	Revision Year:	-94	Ĭ.	egional Sup		
Revision Code:  OBSERVATION INFORMATION  Species Date(s) Observed Spawning Rearing Migration Anadromomomomomomomomomomomomomomomomomomom	Revision Code:  OBSERVATION INFORMATION  Species  Date(s) Observed  Spawning  Rearing  Migration  Anadromous  XXXX  XXX  Dolly Varden  June 28, 29, 1993  XXXX  Dolly Varden  June 28, 29, 1993  Dovide any clarifying information, including number of fish observed, location of fish survey data, if available. Attach a copy of a map showing awning or rearing, locations of barriers, such as falls.	Revision to: Atl	as Catalog		50,	200	zlulau
OBSERVATION INFORMATION  Species Date(s) Observed Spawning Rearing Migration Anadromo  Coho Salmon June 28, 29, 1993 xxxxx xxx xxx  Dolly Varden June 28, 29, 1993 xxxx likely likely	OBSERVATION INFORMATION  Species Date(s) Observed Spawning Rearing Migration Anadromous XXXX  Coho Salmon June 28, 29, 1993 XXXXX XXX XXX  Dolly Varden June 28, 29, 1993 XXXX likely likely  ovide any clarifying information, including number of fish observed, location of fish surve ta, etc. Attach a copy of the fish survey data, if available. Attach a copy of a map showing or rearing, locations of barriers, such as falls.		Both_X		7	0	9/9/77
OBSERVATION INFORMATION  Species Date(s) Observed Spawning Rearing Migration Anadromore Coho Salmon June 28, 29, 1993 xxxxx xxx xxx  Dolly Varden June 28, 29, 1993 XXX likely likely	OBSERVATION INFORMATION  Species Date(s) Observed Spawning Rearing Migration Anadromous XXXX XXX XXX XXX  Dolly Varden June 28, 29, 1993 XXXX likely likely  ovide any clarifying information, including number of fish observed, location of fish survey data, etc. Attach a copy of the fish survey data, if available. Attach a copy of a map showing awning or rearing, locations of barriers, such as falls.	Revision Code:	A-2		0.0	xione	3/1/94
Species Date(s) Observed Spawning Rearing Migration Anadromos Coho Salmon June 28, 29, 1993 xxxxx xxx xxx xxx xxx Dolly Varden June 28, 29, 1993 xxxx likely likely	Species Date(s) Observed Spawning Rearing Migration Anadromous Coho Salmon June 28, 29, 1993 xxxxx xxx xxx xxx Dolly Varden June 28, 29, 1993 XXX likely likely likely ovide any clarifying information, including number of fish observed, location of fish survey data, etc. Attach a copy of the fish survey data, if available. Attach a copy of a map showing or rearing, locations of barriers, such as falls.			No. of the	Draft	ed	Date
Coho Salmon  June 28, 29, 1993  Dolly Varden  June 28, 29, 1993  XXXX  XXX  XXX  Likely  Likely	Coho Salmon  June 28, 29, 1993  Dolly Varden  June 28, 29, 1993  XXX  Likely  Dikely  Divide any clarifying information, including number of fish observed, location of fish survey data, etc. Attach a copy of the fish survey data, if available. Attach a copy of a map showing or rearing, locations of barriers, such as falls.		OBSERVAT	ION INFORMAT	ION		
Coho Salmon  June 28, 29, 1993  xxxxx  xxx  xxx  xxx  xxx  xxx  likely  likely	Coho Salmon  June 28, 29, 1993  XXXX  XXX  Dolly Varden  June 28, 29, 1993  XXX  likely  likely  ovide any clarifying information, including number of fish observed, location of fish survey ta, etc. Attach a copy of the fish survey data, if available. Attach a copy of a map showing or rearing, locations of barriers, such as falls.	Species	Date(s) Observed	Spawning	Rearing	Migration	Anadromous
Dolly Varden June 28, 29, 1993 XXX likely likely	Dolly Varden  June 28, 29, 1993  XXX  likely  likely  ovide any clarifying information, including number of fish observed, location of fish surve ta, etc. Attach a copy of the fish survey data, if available. Attach a copy of a map showing or rearing, locations of barriers, such as falls.	Coho Salmon	June 28, 29, 1993		xxxxx	xxx	
	ovide any clarifying information, including number of fish observed, location of fish survex cation of mouth and upper points of each species, specific stream reaches identified fawning or rearing, locations of barriers, such as falls.	Dolly Varden	June 28, 29, 1993		XXX	likely	
ovide any clasiforing to 5	cation of mouth and upper points of each species, specific stream reaches identified fawning or rearing, locations of barriers, such as falls.						
Ovide any classifician to 6	cation of mouth and upper points of each species, specific stream reaches identified fawning or rearing, locations of barriers, such as falls.			For Figure			
ovide any clasifician inc	cation of mouth and upper points of each species, specific stream reaches identified fawning or rearing, locations of barriers, such as falls.						
ation of mouth and upper points of age at a valuable. Attach a copy of a map show	ments:						TIRCLY
June 28 and 29 Phil Mooney and John Palmes, Habitat Biologists, observed anadromous of the year and smolts in all flowing vetages.		cation of mouth ar awning or rearing, mments: June 28 and 29 Ph lmon fry of the year	nd upper points of each locations of barriers,	species, s such as fall mes, Habitat	pecific str	eam reaches , observed a	a map showing identified for the following t
ossings for a proposed logging road. Species identification was confirmed by dip net	dividual fish for closeup identification as confirmed by dip netti	cation of mouth ar awning or rearing, mments:  June 28 and 29 Ph Lmon fry of the year ossings for a prop dividual fish for a	nd upper points of each locations of barriers, hil Mooney and John Palm rand smolts in all flowing posed logging road. Spectalosaup identification	species, s such as fall mes, Habitat ng watercours cies identif	pecific str s. Biologists ses encounte ication was	cach a copy of eam reaches  , observed as red while ins confirmed h	a map showing identified for a contract of the
ossings for a proposed logging road. Species identification was confirmed by dip nett dividual fish for closeup identification fry were present in groups to forty or fif	dividual fish for closeup identification. Coho fry were present in groups to forty or fift	cation of mouth ar awning or rearing, mments: June 28 and 29 Ph lmon fry of the year ossings for a prop dividual fish for colly Varden ranged in	nd upper points of each locations of barriers, hil Mooney and John Palm rand smolts in all flowing cosed logging road. Spectoseup identification. (	mes, Habitat ng watercours cies identif	pecific str s. Biologists ses encounte ication was present in	, observed as confirmed h	a map showing identified for a madromous columnation of the column is a madromous to the column is a madromous
dividual fish for closeup identification. Coho fry were present in groups to forty or fif glacial tributaries, presence of adult coho was confirmed by dip nett glacial tributaries, presence of adult coho was confirmed by observation of skeletal remains the stream banks, including skulls and in the stream banks.	dividual fish for closeup identification. Coho fry were present in groups to forty or fifty varden ranged in length up to 8 or 9 inches though most were in the 2-4 inch size ranged the stream banks, including skulls and inches though the stream banks, including skulls and inches the stream banks.	mments: June 28 and 29 Plant for a property dividual fish for a glacial tributarie the stream banks.	nd upper points of each locations of barriers, hil Mooney and John Palm rand smolts in all flowing posed logging road. Spectoseup identification. (in length up to 8 or 9 in the presence of adult coherence of adult coherence of adult or including shalls and including shall	mes, Habitating watercours identification fry were aches though to was confir	Biologists ses encounte ication was present in most were med by obse	, observed and read while inserved to groups to find the 2-4 introvation of sk	nadromous colupecting stream orty or fifty character range eletal remain
ossings for a proposed logging road. Species identification was confirmed by dip netting strain and the close identification was confirmed by dip netting to the confirmed by dip netting to the confirmed in length up to 8 or 9 inches though most were in the 2-4 inch size rangular tributaries, presence of adult coho was confirmed by observation of skeletal remains the stream banks, including skulls and jaws. The attached maps and aerial photos attempts to the confirmed by observation, and the extensivation and changable stream courses and the time of observation, and the extensivation and changable stream courses are the time of observation, and the extensivation and changable stream courses are the time of observation, and the extensivation are the confirmed by	dividual fish for closeup identification. Coho fry were present in groups to forty or fift ly Varden ranged in length up to 8 or 9 inches though most were in the 2-4 inch size range the stream banks, presence of adult coho was confirmed by observation of skeletal remains by the extent of fish habitat, though low water at the time of observation, and the extensive sided and changable stream sources the stream of the stream sources have a stream source of the stream so	cation of mouth ar awning or rearing, mments: June 28 and 29 Pt lmon fry of the year ossings for a prop dividual fish for of lly Varden ranged if glacial tributarie the stream banks, but the extent of fish aided and changable	nd upper points of each locations of barriers, hil Mooney and John Palm rand smolts in all flowing posed logging road. Spectoseup identification. (in length up to 8 or 9 in es, presence of adult cohincluding skulls and jaw sh habitat, though low was a stream control of the second s	mes, Habitating watercours identification fry were though to was confirms. The attacter at the times and the statement of the	Biologists ses encounte ication was present in most were i med by obser	, observed an reaches of confirmed his confirmed his groups to find the 2-4 in revation of skill aerial photovation, and the confirmed his con	nadromous colupcting streamy dip netting streamy or fifty or size range eletal remain tos attempt the extensivel
dividual fish for closeup identification. Species identification was confirmed by dip netter ly Varden ranged in length up to 8 or 9 inches though most were in the 2-4 inch size ranged to tributaries, presence of adult coho was confirmed by observation of skeletal remains the stream banks, including skulls and jaws. The attached maps and aerial photos attempt with extent of fish habitat, though low water at the time of observation, and the extensive dead of the actual extent of fish habitat on a map. Also now that the inch to the mile maps pared by Churgach Alaska Comments in the stream of the maps pared by Churgach Alaska Comments in the stream of the maps pared by Churgach Alaska Comments in the stream of the maps pared by Churgach Alaska Comments in the stream of the maps pared by Churgach Alaska Comments in the stream of the maps pared by Churgach Alaska Comments in the stream of the maps pared by Churgach Alaska Comments in the stream of the stream of the maps and the stream of the maps pared by Churgach Alaska Comments in the stream of the stream of the maps and the stream of the strea	dividual fish for closeup identification. Coho fry were present in groups to forty or fifty ly Varden ranged in length up to 8 or 9 inches though most were in the 2-4 inch size ranged the stream banks, presence of adult coho was confirmed by observation of skeletal remains the extent of fish habitat, though low water at the time of observation, and the extensive ided and changable stream courses suggest that a polygon may be the only appropriate way to pared by Churach Alaska Company habitat on a map. Also now that the inch to the mile mapping pared by Churach Alaska Company habitat on a map. Also now that the inch to the mile mapping	ments: June 28 and 29 Planon fry of the year sings for a proplication of the year straightful of the stream banks, with extent of fishided and changable pared by Chugach a pared by Chu	nd upper points of each locations of barriers, hil Mooney and John Palm rand smolts in all flowing posed logging road. Spectoseup identification. (In length up to 8 or 9 in es, presence of adult cohincluding skulls and jaw sh habitat, though low was stream courses suggest extent of fish habitat or	mes, Habitat mes, Habitat ng watercours cies identif Coho fry were nches though no was confir ws. The attac ter at the tr that a polyen a map. Also	Biologists ses encounte ication was present in most were i med by obser ched maps ar me of obser you may be to note that to	, observed as read while ins confirmed he groups to find the 2-4 in rvation of sk and aerial photoston, and the only approache inch to the	nadromous columnations of the column and col
ossings for a proposed logging road. Species identification was confirmed by dip netheroundered in length up to 8 or 9 inches though most were in the 2-4 inch size rangle tributaries, presence of adult coho was confirmed by observation of skeletal remains the stream banks, including skulls and jaws. The attached maps and aerial photos attempt with extent of fish habitat, though low water at the time of observation, and the extensive present the actual extent of fish habitat on a map. Also now that the inch to the mile maps aloged tributaries of the Yahtse River and this information should be used to update	dividual fish for closeup identification. Coho fry were present in groups to forty or fifty ly Varden ranged in length up to 8 or 9 inches though most were in the 2-4 inch size range the stream banks, including skulls and jaws. The attached maps and aerial photos attempt to the extent of fish habitat, though low water at the time of observation, and the extensive of and changable stream courses suggest that a polygon may be the only appropriate way to be extended as a course of the fish habitat on a map. Also note that the inch to the mile mapping that the property of the yahtse River and this information should be used to update the talog and atlas, particularly because Church the talog and atlas, particularly because the talog and atlas the talog and talog and atlas the talog and talog and talog and talog at the talog and talog at the talog and talog at the talog and talog at talog and talog at talog at talog and talog at ta	mments: June 28 and 29 Pt mon fry of the year possings for a proprietal variety Varden ranged if glacial tributaries the stream banks, but the extent of fish aided and changable present the actual of pared by Chugach A caloged tributaries talog and atlas, particularly particularly controlled and changable present the actual of the stream by Chugach A caloged tributaries talog and atlas, particularly caloged tributaries talog and atlas, particularly caloged tributaries talog and atlas, particularly caloged tributaries talog and atlas, particular caloged tributaries talog and atlas, particular caloged tributaries talog and atlas, particular caloged tributaries	nd upper points of each locations of barriers, hill Mooney and John Palm rand smolts in all flowing posed logging road. Spectoseup identification. (In length up to 8 or 9 in es, presence of adult cohincluding skulls and jaw sh habitat, though low was stream courses suggest extent of fish habitat or alaska Corporation is a marticularly because Church and articularly because Church and so of the Yahtse River and articularly because Church	mes, Habitating watercours identification fry were though to was confirms. The attacter at the tithat a polygnamuch more account this information in the state of	Biologists ses encounte ication was present in most were i med by obser ched maps ar me of obser gon may be to note that to	, observed as read while ins confirmed he groups to fin rvation of sk ad aerial photoston, and the only approhe inch to the sentation of	nadromous columnations of the course of the
glacial tributaries, presence of adult coho was confirmed by observation of skeletal remains the stream banks, including skulls and jaws. The attached maps and aerial photos attempts and changable stream courses suggest that a polygon may be the only appropriate way be cresent the actual extent of fish habitat on a map. Also now that the inch to the mile maps appropriate by Chugach Alaska Corporation is a much more accurate representation of the current caloged tributaries of the Yahtse River and this information should be used to update the calog and atlas, particularly because Chugach, the only private landowner in the area, is more than the stream of the grant of the calog and atlas, particularly because Chugach, the only private landowner in the area, is more than the stream of the calog and atlas, changes in attached the configuration of the current calog and atlas, particularly because Chugach, the only private landowner in the area, is more than the calog and atlas, changes in attached was confirmed by observation of skeletal remains the stream of the change of the calog and atlas, particularly because Chugach, the only private landowner in the area, is more calog and atlas and the calog and th	dividual fish for closeup identification. Coho fry were present in groups to forty or fifty ly Varden ranged in length up to 8 or 9 inches though most were in the 2-4 inch size range the stream banks, including skulls and jaws. The attached maps and aerial photos attempt to the extent of fish habitat, though low water at the time of observation, and the extensive acided and changable stream courses suggest that a polygon may be the only appropriate way to be extended as a course of the fish habitat on a map. Also note that the inch to the mile mapping that the property of the fish papers and this information should be used to update the stalog and atlas, particularly because the stalog and atlas and the stalog and atlas and the stalog and atlas are stalog and atlas and the stalog and atlas and the stalog are stalog and atlas and the stalog and atlas and the stalog and atlas are stalog and atlas and the stalog and atlas are stalog and atlas and the stalog and atlas and the stalog and atlas are stalog and atlas and the stalog and atlas are stalog and atlas and the stalog and atlas are stalog and atlas and the stalog and atlas are stalog and atlas and the stalog and atlas are stalog and atlas and the stalog and atlas are stalog and atlas are stalog and atlas are stalog and atlas and the stalog and atlas are stalog and atl	mments: June 28 and 29 Properties June 28 an	nd upper points of each locations of barriers, hill Mooney and John Palm rand smolts in all flowing closed logging road. Spectoseup identification. (in length up to 8 or 9 in es, presence of adult cohincluding skulls and jaw sh habitat, though low was estream courses suggest extent of fish habitat or claska Corporation is a man of the Yahtse River and articularly because Chuga	mes, Habitat mes, Habitat mes, Habitat mes identif Coho fry wer nches though to was confir ws. The attac ter at the ti that a polye n a map. Also much more acc nd this info	Biologists ses encounte ication was present in most were med by obser med by obser med of obser me of obser you may be to note that to curate representation sho	, observed as read while ins confirmed by a groups to find a groups to find a group and the confirment of skill a group appropriation, and the only appropriation of the inch to the sentation of skill a group appropriation and the sentation of skill a group appropriation of the sentation of skill a group and the skill a group a group and the skill a group and the skill a group and the skill a group	nadromous columnadromous columnadrom

Name of Observer (please print)

John Palmes and Phil Mooney, Habitat Biologists

Date: Oct. 26, 1993 Signature:

Address:

Address:

Alaska Department of Fish and Game
Habitat and Restoration Division, Douglas

FISH & GAME

Signature of Area Biologist:

Regy 72/91993

REGION II

